

<b>Material Safety Data Sheet</b> May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.		<b>U.S. Department of Labor</b> Occupational Safety and Health Administration(Non-Mandatory Form) Form Approved OMB No. 1218-0072			
<b>IDENTITY</b> (As used on Label and list) - <b>Super Color Ink Refill (SC-RF)</b> <i>(SCB, SCF, SC6600)</i>		Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.			
<b>Section 1</b>					
Manufacturer's Name <b>The Pilot Ink Co., Ltd.</b>		Telephone Number <b>81-52-733-1561</b>			
Address(Number, Street, City State & Zip) <b>3-17 Midoricho, Shouwa-ku, Nagoya-City</b>		Fax Number <b>81-52-732-4938</b>			
<b>Aichi, 104-0031 Japan</b>		Date Prepared <b>September 25, 2007</b>			
		Signature of Preparer(Optional)			
<b>Section II - Hazardous Ingredients/Identity Information</b>					
Hazardous Components(Specific Chemical Identity;Common Name(s))		OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
NAME	CAS. NO.	TLV(PPM)	WT. (%)	COMPONENT	
<i>Xylene</i>	<i>1330-20-7</i>	<i>100</i>	<i>56.3 - 67.6</i>	<i>Ink</i>	
<i>1-Butanol</i>	<i>71-36-3</i>	<i>100</i>	<i>7.5 - 18.0</i>	<i>Ink</i>	
<i>1-Methoxy-2-propanol</i>	<i>107-98-2</i>	<i>100</i>	<i>4.6 - 5.0</i>	<i>Ink (Black)</i>	
<b>Section III - Physical/Chemical Characteristics</b>					
Boiling Point	<i>N.D.</i>		Specific Gravity (H2O=1)	<i>N.D.</i>	
Vapor Pressure(mm Hg)	<i>N.D.</i>		Melting Point	<i>N.D.</i>	
Vapor Density(Air=1)	<i>N.D.</i>		Evaporation Rate (Butyl Acetate = 1)	<i>N.D.</i>	
Solubility in Water <i>N.D.</i>					
Appearance and Odor <i>Ink in glass bottle, xylene odor</i>					
<b>Section IV - Fire and Explosion Hazard Data</b>					
Flash Point(Method Used) <i>N.D.</i>	Flammable Limits <i>N.D.</i>		LEL <i>N.D.</i>	UEL <i>N.D.</i>	
Extinguishing Media <i>Use carbon dioxide, dry chemical</i>					
Special Fire Fighting Procedures <i>None</i>					
Unusual Fire and Explosion Hazards <i>None</i>					

<b>Section V - Reactivity Data</b>			
Stability	Unstable		Conditions to Avoid
	Stable	<b>X</b>	<b>None</b>
Incompatibility (Materials to Avoid)	<b>None</b>		
Hazardous Decomposition or Byproducts	<b>None</b>		
Hazardous Polymerization	May Occur		Condition to Avoid
	May Not Occur	<b>X</b>	<b>None</b>
<b>Section VI - Health Hazard Data</b>			
Route(s) of Entry:	Inhalation? <b>Yes</b>	Skin? <b>Yes</b>	Ingestion? <b>Yes</b>
Health Hazards(Acute and Chronic) <b>N.D.</b>			
Carcinogenicity:	NTP? <b>None</b>	IARC Monographs? <b>None</b>	OSHA Regulated? <b>None</b>
Signs and Symptoms of Exposure <b>N.D.</b>			
Medical Conditions			
Generally Aggravated by Exposure <b>N.D.</b>			
Emergency and First Aid Procedures <b>Inhalation: Remove to fresh air; seek medical. Ingestion:</b>			
<b>Seek medical. Eyes: Flush with plenty of water; seek medical. Skin: Wash off in flowing water; seek medical</b>			
<b>Section VII - Precautions for Safe Handling and Use</b>			
Steps to Be Taken in Case Material is Released or Spilled			
<b>Soak up with absorbent materials. (Paper/Cloth)</b>			
Waste Disposal			
<b>In accordance with national, state and local regulations.</b>			
Precautions to Be Taken in Handling and Storing			
<b>Avoid high temperature.</b>			
Other Precautions <b>N.A.</b>			
<b>Section VIII - Control Measures</b>			
Respiratory Protection(Specify Type) <b>N.A.</b>			
Ventilation	Local Exhaust <b>N.A.</b>	Special <b>N.A.</b>	
	Mechanical(General) <b>N.A.</b>	Other <b>N.A.</b>	
Protective Gloves <b>N.A.</b>	Eye Protection <b>N.A.</b>		

Other Protective Clothing or Equipment
--

<a href="#">N.A.</a>
----------------------

Work/Hygienic Practices
-------------------------

<a href="#">N.A.</a>
----------------------



[RETURN TO DATA SHEET INDEX](#)